

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

L Number	Hits	Search Text	DB	Time stamp
1	10	((4987595.URPN. or 6226749.URPN. or 6557104.URPN.) and @ad<20000331) and ((initial\$5 or start\$5 or configur\$5 or set\$5 or program\$5 or load\$5) with (chipset or circuit or device or module or computer or chip) with (secur\$5 or protect\$5 or confident\$5 or privat\$5 or isolat\$5) with (environment or network or communicat\$5 or mode or entities or channel or execut\$5 or function or process\$5 or program\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 12:23
2	4	((4987595.URPN. or 6226749.URPN. or 6557104.URPN.) and @ad<20000331) and ((initial\$5 or start\$5 or configur\$5 or set\$5 or program\$5 or load\$5) with (chipset or circuit or device or module or computer or chip) with (secur\$5 or protect\$5 or confident\$5 or privat\$5 or isolat\$5) with (environment or network or communicat\$5 or mode or entities or channel or execut\$5 or function or process\$5 or program\$5) with (plural\$5 or multipl\$5 or many or more or numerous or set))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 12:07
3	1	((("6557104").PN.) or (("6226749").PN.) or (("4987595").PN.)) and ((initial\$5 or start\$5 or configur\$5 or set\$5 or program\$5 or load\$5) with (chipset or circuit or device or module or computer or chip) with (secur\$5 or protect\$5 or confident\$5 or privat\$5 or isolat\$5) with (environment or network or communicat\$5 or mode or entities or channel or execut\$5 or function or process\$5 or program\$5) with (plural\$5 or multipl\$5 or many or more or numerous or set))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 12:07
4	2	((("6557104").PN.) or (("6226749").PN.) or (("4987595").PN.)) and ((initial\$5 or start\$5 or configur\$5 or set\$5 or program\$5 or load\$5) with (chipset or circuit or device or module or computer or chip) with (secur\$5 or protect\$5 or confident\$5 or privat\$5 or isolat\$5) with (environment or network or communicat\$5 or mode or entities or channel or execut\$5 or function or process\$5 or program\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 12:08
5	714	processor near6 ((protect\$ or isolat\$ or secur\$ or "non-secure") near6 mode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 12:20
6	72279	access\$ near6 (check\$ or determin\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 12:21
7	30	(processor near6 ((protect\$ or isolat\$ or secur\$ or "non-secure") near6 mode)) same (access\$ near6 (check\$ or determin\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 12:21
8	348478	((memory or storage) near6 access\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 12:14
9	30	((processor near6 ((protect\$ or isolat\$ or secur\$ or "non-secure") near6 mode)) same (access\$ near6 (check\$ or determin\$))) and ((memory or storage) near6 access\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 12:22

10	9	((processor near6 (protect\$ or isolat\$ or secur\$ or "non-secure") near6 mode)) same (access\$ near6 (check\$ or determin\$)) and ((memory or storage) near6 access\$))) and @ad<20000331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 12:22
11	13375	processor near6 (protect\$ or isolat\$ or secur\$ or "non-secure")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 12:21
12	113115	access\$ near6 (check\$ or determin\$ or handl\$ or rout\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 12:22
13	286	(processor near6 (protect\$ or isolat\$ or secur\$ or "non-secure")) same (access\$ near6 (check\$ or determin\$ or handl\$ or rout\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 12:22
14	235	((processor near6 (protect\$ or isolat\$ or secur\$ or "non-secure")) same (access\$ near6 (check\$ or determin\$ or handl\$ or rout\$5))) and (((memory or storage) near6 access\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 12:22
15	133	((processor near6 (protect\$ or isolat\$ or secur\$ or "non-secure")) same (access\$ near6 (check\$ or determin\$ or handl\$ or rout\$5))) and (((memory or storage) near6 access\$))) and @ad<20000331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 12:33
16	38872	((initial\$5 or start\$5 or configur\$5 or set\$5 or program\$5 or load\$5) with (chipset or circuit or device or module or computer or chip) with (secur\$5 or protect\$5 or confident\$5 or privat\$5 or isolat\$5) with (environment or network or communicat\$5 or mode or entities or channel or execut\$5 or function or process\$5 or program\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 12:24
17	39	((processor near6 (protect\$ or isolat\$ or secur\$ or "non-secure")) same (access\$ near6 (check\$ or determin\$ or handl\$ or rout\$5))) and (((memory or storage) near6 access\$))) and @ad<20000331) and ((initial\$5 or start\$5 or configur\$5 or set\$5 or program\$5 or load\$5) with (chipset or circuit or device or module or computer or chip) with (secur\$5 or protect\$5 or confident\$5 or privat\$5 or isolat\$5) with (environment or network or communicat\$5 or mode or entities or channel or execut\$5 or function or process\$5 or program\$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 12:25
32	16	5896499.URPN.	USPAT	2004/08/20 12:33
33	15	5896499.URPN. and @ad<20000331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 12:33

-	10	((4987595.URPN. or 6226749.URPN. or 6557104.URPN.) and @ad<20000331) and ((initial\$5 or start\$5 or configur\$5 or set\$5 or program\$5 or load\$5) with (chipset or circuit or device or module or computer or chip) with (secur\$5 or protect\$5 or confident\$5 or privat\$5 or isolat\$5) with (environment or network or communicat\$5 or mode or entities or channel or execut\$5 or function or process\$5 or program\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 10:38
-	4	((4987595.URPN. or 6226749.URPN. or 6557104.URPN.) and @ad<20000331) and ((initial\$5 or start\$5 or configur\$5 or set\$5 or program\$5 or load\$5) with (chipset or circuit or device or module or computer or chip) with (secur\$5 or protect\$5 or confident\$5 or privat\$5 or isolat\$5) with (environment or network or communicat\$5 or mode or entities or channel or execut\$5 or function or process\$5 or program\$5) with (plural\$5 or multipl\$5 or many or more or numerous or set))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 10:39
-	3	("6557104").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 10:41
-	2	("6226749").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 10:41
-	2	("4987595").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 10:42
-	1	((("6557104").PN.) or (("6226749").PN.) or (("4987595").PN.)) and ((initial\$5 or start\$5 or configur\$5 or set\$5 or program\$5 or load\$5) with (chipset or circuit or device or module or computer or chip) with (secur\$5 or protect\$5 or confident\$5 or privat\$5 or isolat\$5) with (environment or network or communicat\$5 or mode or entities or channel or execut\$5 or function or process\$5 or program\$5) with (plural\$5 or multipl\$5 or many or more or numerous or set))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 10:43
-	2	((("6557104").PN.) or (("6226749").PN.) or (("4987595").PN.)) and ((initial\$5 or start\$5 or configur\$5 or set\$5 or program\$5 or load\$5) with (chipset or circuit or device or module or computer or chip) with (secur\$5 or protect\$5 or confident\$5 or privat\$5 or isolat\$5) with (environment or network or communicat\$5 or mode or entities or channel or execut\$5 or function or process\$5 or program\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 11:32
-	38	"5469556" "5802590"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 11:33
-	35	("5469556" "5802590") and @ad<20000331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 11:37

L Number	Hits	Search Text	DB	Time stamp
-	6	((("6507904" "6292874" "6035374") or (((("6507904") or ("6292874") or ("6035374"))).PN.)) and @ad<20000331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 13:13
-	6	((("6507904") or ("6292874") or ("6035374"))).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 07:52
-	1272	713/200.ccls. and @ad<20000331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 08:04
-	20	"6507904" "6292874" "6035374"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 07:58
-	0	"a secure processor for a computing device"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 07:59
-	0	"secure processor for a computing device"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 07:59
-	64	"secure processor" and "computing device"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 08:06
-	123	713/164.ccls. and @ad<20000331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 11:34
-	3351	secure.ab. and processor.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 08:05
-	449	"secure processor"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 08:06
-	130	(secure.ab. and processor.ab.) and "secure processor"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 08:08
-	0	20020007456.URPN.	USPAT	2004/07/30 08:08
-	2	("20020007456").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 08:08
-	0	20020007456.URPN.	USPAT	2004/07/30 08:10
-	77	((secure.ab. and processor.ab.) and "secure processor") and @ad<20000331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 08:18
-	18	4987595.URPN.	USPAT	2004/07/30 10:42
-	1	6226749.URPN.	USPAT	2004/07/30 10:41
-	3	6557104.URPN.	USPAT	2004/07/30 08:17

-	15	(4987595.URPN. or 6226749.URPN. or 6557104.URPN.) and @ad<20000331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 08:19
-	7955078	initial\$5 or start\$5 or configur\$5 or set\$5 or program\$5 or load\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 10:25
-	10069621	chipset or circuit or device or module or computer or chip	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 08:20
-	3944285	secur\$5 or protect\$5 or confident\$5 or privat\$5 or isolat\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 08:21
-	9514108	environment or network or communicat\$5 or mode or entities or channel or execut\$5 or function or process\$5 or program\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 08:22
-	6781129	stor\$5 or memor\$5 or disk or drive or sav\$5 or keep\$5 or sav\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 08:23
-	7942308	data or image or set\$5 or file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 08:24
-	9266250	thread or process\$5 or operation or application or call	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 08:24
-	35488	(initial\$5 or start\$5 or configur\$5 or set\$5 or program\$5 or load\$5) with (chipset or circuit or device or module or computer or chip) with (secur\$5 or protect\$5 or confident\$5 or privat\$5 or isolat\$5) with (environment or network or communicat\$5 or mode or entities or channel or execut\$5 or function or process\$5 or program\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 10:27
-	8498075	plural\$5 or multipl\$5 or many or more or numerous or set	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 10:26
-	11305	(initial\$5 or start\$5 or configur\$5 or set\$5 or program\$5 or load\$5) with (chipset or circuit or device or module or computer or chip) with (secur\$5 or protect\$5 or confident\$5 or privat\$5 or isolat\$5) with (environment or network or communicat\$5 or mode or entities or channel or execut\$5 or function or process\$5 or program\$5) with (plural\$5 or multipl\$5 or many or more or numerous or set)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 10:37

-	4	((("5469556") or ("5802590")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 11:33
-	198	(711/164.ccls. or 711/163.ccls) and @ad<20000331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 11:35
-	2	((("5469556" "5802590") and @ad<20000331) and ((711/164.ccls. or 711/163.ccls) and @ad<20000331)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 11:35
-	13	5802590.URPN.	USPAT	2004/07/30 11:37
-	11	5802590.URPN. and @ad<20000331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 11:38
-	5	"6226749"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 13:14
-	5	"6226749" and ad<20000331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 13:19
-	1	6226749.URPN.	USPAT	2004/08/09 13:17
-	1	"5802590".PN.	USPAT	2004/08/09 13:18
-	13	5802590.URPN.	USPAT	2004/08/09 13:18
-	1	"5469556".PN.	USPAT	2004/08/09 13:18
-	19	5469556.URPN.	USPAT	2004/08/09 13:18
-	35	("6226749" or 6226749.URPN. or "5802590".PN. or 5802590.URPN. or "5469556".PN. or 5469556.URPN.) and ad<20000331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 13:19
-	3722	isolat\$5 and secur\$5 and chip and thread\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 13:21
-	0	((("6226749" or 6226749.URPN. or "5802590".PN. or 5802590.URPN. or "5469556".PN. or 5469556.URPN.) and ad<20000331) and (isolat\$5 and secur\$5 and chip and thread\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 13:20
-	267809	(isolat\$5 or secur\$5 or separat\$5) and chip and (thread\$ or process\$5 or operation\$ or task\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 13:28
-	3	((("6226749" or 6226749.URPN. or "5802590".PN. or 5802590.URPN. or "5469556".PN. or 5469556.URPN.) and ad<20000331) and ((isolat\$5 or secur\$5 or separat\$5) and chip and (thread\$ or process\$5 or operation\$ or task\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 13:29
-	234082	(isolat\$5 or secur\$5 or separat\$5) and chip and (thread\$ or process\$5 or operation\$ or task\$5) and (manufact\$ or design\$5 or fabricat\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 13:29

-	3	((("6226749" or 6226749.URPN. or "5802590".PN. or 5802590.URPN. or "5469556".PN. or 5469556.URPN.) and ad<20000331) and ((isolat\$5 or secur\$5 or separat\$5) and chip and (thread\$ or process\$5 or operation\$ or task\$5) and (manufact\$ or design\$5 or fabricat\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 13:34
---	---	--	---	------------------